





#### North American Leader in Manufacturing Roofing Equipment



1-888-308-4763



asequip.com







## Safety Trash Chutes System

Trash Chute - Frame System 108000 (No Hoist) 108002 (With Hoist System)

- The support frame is equipped with safety fences.
- The frame is easily disassembled.
- The frame is wide enough to allow the ASE Power Buggy to be driven close enough to pour contents into the chute hopper.
- Counterweight trays can hold up to 16 x 50 lbs. weights in each tray.
- Can install a total of 32 counterweights. (16 per tray)
- Frame equipped with telescopic hopper support legs.
- Upon raising the chute system to be put into place, the support legs on the exterior part of the frame can be retracted to allow the chute hopper to be put into place.
- After the hopper is in place, the legs can then be extended once again to support the weight of the hopper and lock it into place.

Trash Chute - 30" Diameter Chute Section 108008

- Chute system capable of handling up to 100ft of 30" diameter chute
- Chute section 30" diameter.
- Metal hopper complete with side walls.

Trash Chute - Hoist System 108004 (Hoist Frame Only)

\*Note - Hydraulic Power Pack and Winch is NOT include with purchase of base

The Trash Chute Hoist System features 2 options:

1. Hoist system with manual-control winch.

2. Hoist system with ASE 1000 hydraulic hoist winch with power pack can be installed to assist in raising chutes.

108000	Frame System Only	<sup>\$</sup> 3,945
108002	Frame System C/W Hoist and Hand Winch	<sup>\$</sup> 6,020
108010	Frame System C/W Hoist and Hydraulic Winch Base	<sup>\$</sup> 7,776

108006	Hopper Only - Complete	\$1,702
108008	30" Diameter Chute Section	\$329
108630	Hoisting Bar C/W Swivel Hooks	\$315

## The safest way to move trash from the rooftop

Easily move waste from the Power Buggy into the Trash Hopper

Compatibility with existing ASE products makes it easier to move and unload waste from the rooftop

NOTE: All accessories are sold seperately. Please view the attachments below for more details.

#### Specifications

Frame System		
Frame Chute Capacity	100ft of Chute (max)	
Frame Weight	546 lbs.	

	Hopper		
Hopper Weight 162 lbs.	162 lbs.	Hopper Weight	

Chute System	
Chute Diameter	30″

Chute Diameter	30
Chute Weight	30 lbs.

Hoist System	
Hoist Max Capacity	1000 lbs.
Hoist Weight	158 lbs.

|--|





# Safety Equipment

#### **Guard Rail System**

- Section off the job site into zones to easily organize work and personnel.
- Warn workers of impending dangers such has hazardous materials or falls.
- Disassemble and relocate Guardrail sections quick and easily.
- Conforms with OSHA regulations.

107100	Rail System - 5 ft.	<sup>\$</sup> 600
107101	Rail System - 7.5 ft.	<sup>\$</sup> 650
107102	Rail System - 10 ft.	<sup>\$</sup> 685
107107	Based Only + Pins	\$395
108012	Rail Only - 5 ft.	<sup>\$</sup> 205
108014	Rail Only - 7.5 ft.	<sup>\$</sup> 255
108016	Rail Only - 10 ft.	<sup>\$</sup> 290

\* A rail system include only 1 rail and 1 base.



#### **Perimeter Safety Products**

107010 Gard Rail System A 2 wheeled dolly that is equipped with 400 x 4.80 wheels to move guard rail bases easily.

- Lightweight and easy to transport

- 110lbs carrying capacity
  Simplistic fulcrum mechanism
  Protect workers' health and wellbeing

<sup>\$</sup>680



## The Roofing Innovation Leaders





# Hoist Systems

Hoisting equipment

One of All Seasons Equipment's flagship hoists and oldest selling products.

#### 2000 Single Line Hoist System

102103 Gas 102107 Electric

A stronger, more capable swing arm with 2 different options available for power pack. A must-have for those bigger on-site jobs.

- Highest Capacity in the Industry: 2000 lbs on a single line
- Honda Engine Dependable and Powerful
- Hydraulic System for Smooth Operation
- Left or Right Swing Option Without Extra Pieces
- Detached Power Unit for Optimal Positioning
- Double Brake for Maximum Protection
- Hoist Frame Breaks Down Into 8 Pieces for Portability

#### 102103: <sup>\$</sup>22,250 102107: Call for price





2000 lbs worth of counterweights must always be used . Counterweights and Hoist Wheels are NOT included, and must be purchased seperately



Gas Power Unit 102127 This Power Unit is included in the purchase of the ASE HSH2000..



Electric Power Unit 202992 Allows for smooth, low noise and low maintenance operation

#### \$12,475



Call for price



Transport Wheels Wheels for these axles can be purchased separately.

Ground Base 102120 Ground base only 102118 Power Pack + Winch Only

Call for price

102120 <sup>\$</sup>1,468

102118 \$18,213

### **Specifications**

Power Requirement	208-230 Volt
Capacity With 200 ft. Cable	2000 lbs.
Cable Capacity Of Winch	500 ft.
Cable Size	5/16"

Standard Cable Length	200 ft.
Max Lift Speed	200 FPM
Height Of Swing	153"
Reach Of Swing	60"

## 1000 Hydraulic Swing Hoist

Portability, ease-of-use, with a smooth hoisting experience and great power for its size

The 1000 Hydraulic Swing Hoist features:

- Powerful Hydraulic System and fingertip control allows for precision and ultra smooth load control.
- Detached power unit with 10 ft. hoses permits the operator to control the hoist in the optimal position.
- Safety system is backed by a double brake ensuring maximum protection
- Hoist frame breaks down into 7 pieces for maximum portability (fits in a freight elevator).
- 1/4" hoist cable (Meets OSHA requirements).



#### Product Code: 102100

Counterweights must always be used. Minimum one times the weight being lifted is recommended.Counterweights sold seperately

\$15,000



#### 1000 Power Unit


Product Code: 202992

Call for price

#### **Specifications**

Engine Type	9 H.P. Honda
Capacity With 150 ft. Cable	1000 lbs.
Cable Capacity Of Winch	150 ft.
Cable Size	1/4"
Max Lift Speed	160 FPM
Height Of Swing	115"
Reach Of Swing	56"
Hoist Weight	750 lbs.

All Seasons Equipment's flagship hoist.



#### 300 Hand Swing Hoist.

Product Code: 102004

The quickest way to hoist lightweight materials and equipment with the convenience of a Swing Hoist.

- A swing boom that can be set up to swing either left or right.
- A lever locking system for the swing boom.
- 12" Gin Wheel and Counterweights not included. Needs 2 to 1 counterweight ratio.

Capacity: 300 lbs.

Weight:

75 lbs - Rear counterwieght

64 lbs - Vertical Boom

24 lbs - Swing Boom

\$2,252

#### An essential attachment for manual hoists

102005. : 12" Gin Wheel

\$176



#### 300 **Hand Hoist**

Product Code: 102001

• Consists of one A-frame and Main Boom.

• 12" Gin Wheel and Counterweights not included. Needs 2 to 1 counterweight ratio.

Capacity: 300 lbs. Weight: 96 lbs.

\$1,170



**Dump Tray** 

Product Code: 102019 Single lift hook and swivel dump. Weight: 120 lbs. Dimensions: 31" x 30 1/2" x 13 1/2"

<sup>\$</sup>935



#### **Hoist Forks**

Used for hoisting pallets, insulation, rolls and other materials. Forks have a swing-out retaining brackets.

102018: 800 lbs Throat: 48" Weight: 75 lbs Size: 36" x 25" x 55" 102017: 2000 lbs Throat: 66" Weight: 130 lbs Size 43" x 25" x 74"

102018 (800lbs) : <sup>\$</sup>730 102017 (2000lbs): <sup>\$</sup>1,208



#### Trash Tray

Product Code: 102020 Ideal for roofing debris. One cable has a hook for unloading. Capacity: 16cu.ft. / 1000 lbs. Weight: 150 lbs. Size: 58" x 43" x 15"

\$1,085



#### 800 Gravel Bucket

Product Code: 102013 Single lift hook and bottom dump gate. Weight: 110 lbs. Dimensions: 30.5" x 30.5" x 26.5"

<sup>\$</sup>1,490



**Hand Winch** 

102098 : Hand Winch for 1000 Hoist with 100 Ft 3/16 cable

102121: Hand Winch for 2000 Hoist with 120Ft 3/16 cable

102098 : <sup>\$</sup>983 102121 : <sup>\$</sup>1,063



#### 1500 Gravel Bucket

Product Code: 102014 Single lift hook and bottom dump gate. Weight: 238 lbs. Dimensions: 34" x 34" x 48"

\$1,900



Hoist Cable Counterweight

Product Code: 202155 This piece maintains the tension on the hoist cable.

Call for price



#### Counterweight

Product Code: 102011 (50lb Steel) Slides easily into counterweight support on hoist.


Weight: 50 lbs. Size:: 15" x 6" x 2 1/2"

Call for price



#### **Hoist Cable**

202089	1/8"	Call for price
202091	3/16"	Call for price
202094	1/4"	Call for price
202097	5/16"	Call for price



## We're the original—and still the best.

The best choice of roofing equipment in North America

## SS16 Cheetah Skid Steer Loader

- 24 HP 2 cylinder Honda Engine Electric Start
- 18 x 9.5-8 Super lug tires
- Quick Attachment Systems
- Relief Setting: 3000 PSI
- Auxiliary: 5 GPM Standard
- Auxiliary: 12 GPM (Optional)

- Fuel Tank: 3.9 Gallons (15 L)
- Hydraulic Reservoir: 15 Gallons (76 L)
- Machine Weight c/w bucket: 1300 lbs
- 2 Hydraulic Motors
- Wheels driven by two-stage chain system



#### 300100 5GPM AUX 300120 5 & 12GPM AUX

Tipping Weights		
Setup Type	Capacity	
no weights	950 lbs	
2 weights	1100 lbs.	

Operating Weight Capacity		
Setup Type	Capacity	
no weights	475 lbs.	
2 weights	550 lbs.	

300100 <sup>\$</sup>29,500

300120 Call for Price



#### **Manual Attachment Bracket**

300500: The attachment bracket is an adapter allowing SS16 to use attachments originally designed for the hydraulic tractor.

#### \$1,781



#### Counterweight Attachment

300505: Counterweights can be added to the back of the Cheetah Skid Loader to act as a ballast for heavy lifting.

#### Call for Price



#### **Bucket Attachments**

300510	2 cu. ft.	80lbs	\$1,330
300520	3,75 cu.ft.	130lbs	\$1,500



Dual Wheel Kit 300215: Double Wheels are compatible with all Cheetah attachments and variants

#### \$1,700



#### **Plow Attachment**

106500: The plow attachment can be used to push different materials around the job site. A common use of the plow is to push sections of debris, dirt or snow.

<sup>\$</sup>990



#### Fork Lift Attachment

300600: The pallet forks attachment is highly useful for moving light materials around the roof deck.

\$1,450



#### **Grapple Bucket Attachment**

300540: The Grapple Bucket allows the operator to pick up larger amounts of debris such as insulation or fiberboard during tear off jobs.

\$2,850



#### **Roof Remover Attachment**

300720: A hydraulic motor drives the cutting blade repeatedly between the built up roof and the roof deck lifting it off for easy disposal. Blade Angle 15" Weight 275 lbs. Size 64" x 31" x 26"

\$3,650



#### **Sweeper Attachment**

Brush Size 40" x Pitch Angle Up t Weight 275 lbs. Dimensions 46"		
300710	PolySteel	\$3,592
300715	PolyCoil	\$3,795



## Hydraulic Tractor & Attachments

The product that makes your life easier

#### **Hydraulic Tractor**

106000 Pull Start 106001 Electrical Start

The ASE Hydraulic Tractor is a self propelled machine. This tractor is designed with hydraulic outputs for powering different attachments. Full hydraulic power with a reinforced hard gear differential. Heavy duty hydraulic drive system allows for smooth transition of speed from a slow crawl to a fast walk

106000 \$**12,540** 

106001 \$**12,960** 



#### **Roof Remover Attachment**

106200: One of the most powerful roof removers on the market. Cuts and lifts the roof off for easy disposal. Weight: 275 lbs. Size: 54" x 31" x 30"

Blades:	
206200 (15" Angled Blade)	\$314
206202 (24" Angled Blade)	\$388
206201 (15" Toothed Blade)	\$967
206203 (24" Toothed Blade)	\$1,065

\$3,504



#### **Plow Attachment**

106500: 35° of angle adjustment to the left or right, the plow attachment moves roofing debris or snow of the way quickly and easily.





**Sweeper Attachment** 

106300 Poly Coil 106301 Poly Steel

Drive System	Hydraulic / Chain
Brush Types	Poly Coil / Poly Steel
Angle Adjustment	Up to 35 degrees
Brush Dmensions	40 wide x 19 diagonal
Weight	200 lbs.
Dimensions	48" x 30" x 24"

106300 **\$3,633** 106301 **\$3,592** 



## Powered On-Deck Equipment

### **Roof Cutters**



104200: 11 HP 104202: 13 HF

#### **Tazmanian Roof Cutter**

The ASE Tazmanian Single Blade Roof Cutter is available with in 2 different engine types. It has belts that are easily changed in minutes and is equipped with a sealed breather system that will increase engine life.

104200 **\$4,950** 104202 **\$5,300** 



#### 104000

#### **Mini Cutter**

Maneuverable and lightweight, this cutter is ideal for those tight, hard to get at places, like vents, and air conditioners; also perfect for small patch work. Equipped with a 5.5 HP Honda OHV engine and B style "V" belts for long life and low maintenance.

\$3,600



104220 AIr Filled 104222 Foam Filled

#### Hydra Double Cutter

A powerful self-propelled Hydraulic Double Cutter that delivers high production, variable Speed Control and a 25" cut provide maximum efficiency on the largest jobs.

<sup>\$</sup>14,876

#### **Roof Cutter Blades.**

 Designed to fit all makes and models of roof cutters with a 1" mounting hole and 12" diameter cut profile.
 Even at 2.5" cutting depth, the cutting edge clears the roof profile before beginning the next cut, reducing the strain on the engine.

• Full 2.25" long by 0.25 wide carbide tips.

204024	Straight 12"
204028	Straight 14"
204020	Tri-blade







## **Mechanical Sweepers**

Compatible with both Poly Coil and Poly Steel brushes



#### 36" Mechanical Sweeper

104600 Poly Steel 104601 Poly Coil Adjustable brush angle.

Engine Type	5.5 H.P. Honda
Brush Width	36"
Brush Diameter	19"
Brush Angle	15° each way
Wheels	4.10 x 3.50 Turfsaver
Weight	270 lbs
Dimensions	67" x 42" x 36"
Optional	Foam Filled Wheels

104600 <sup>\$</sup>5,915 104601 <sup>\$</sup>6,065



#### 40" Mechanical Sweeper

104680 Poly Steel 104682 Poly Coil Adjustable brush angle and independent forward drive.

Engine Type	9 H.P. Honda
Brush Width	40"
Brush Diameter	19"
Brush Angle	15° each way
Wheels	16 x 6.50 Turfsaver
Weight	350 lbs
Dimensions	70" x 47" x 38"
Optional	Foam Filled Wheels

104680 <sup>\$</sup>8,225





#### **Poly Steel Brush**

204636 36" 204680 40" Compatible with both 36" and 40" mechanical sweepers Poly Coil Brush 204639 36" 204681 40" Compatible with both 36" and 40" mechanical sweepers



#### 14" Rotary Planer

104400 Replaceable Carbide Cutters. Adjustable cutting depth. Easily maneuverable Comes with a 10.5 HP Engine

\$6,300

#### **Carbide Cutter Replacement Set**



204405





## 36" Wheels-Under Gravel Spreader

#### Product Code: 105000

This machine is used primarily for spreading pea gravel. The inset wheel design prevents the machine from running over the previously laid rock and hot asphalt.

The 36" Wheels-Under Gravel Spreader comes with a set of additional features:

- Dead Man Brake.
- 5.5 HP Honda Motor.

\* NOTE

Item is special order.

\$9,500

## The best choice of roofing equipment in North America





#### **EPDM Gravel Spreader**

#### Product Code: 105200

The 40" EPDM Gravel Spreader is designed to spread ballast rock in large quantities.The wheels are inset, in front of the gate opening to allow rock to be dispensed next to the previous row without running over the stone and puncturing the membrane. \* NOTE Item is special order. CALL FOR PRICE

Rock Type Dispensed: up to 2 1/2" Ballast Stone Engine: 5.5 H.P.Honda Bin Capacity: 10 cu.ft. Spread Path: 40" Wide

Spread ballast rock quickly and easily with the EPDM Gravel Spreader



## Power Buggys

The Power Buggy is a versatile multi-tasking piece of on-deck equipment that can handle any job you throw at it. Many attachments are interchangeable, making it a highly versatile tool for any project. With its interchangeable attachments, the Power Buggy is perfect for any challenging job you may have.

### A proven design, great for any size job





#### Hydraulic Power Buggy

Hydraulic driven (Hydraulic Motor and Chain Drive).
 8 Gallon Hydraulic Reservoir.

- Forward and reverse movement controlled by lever.
- Speed controlled by engine RPM.
   A parking brake comes standard

105602	36" W/Single Valve - Stand On	\$10,020
105604	36" W/Single Vale - Walk Behind - Flat Free	\$9,784
105607	36" W/Single Vale - Stand On - Flat Free	\$10,500
105608	36" W/Dual Vale - Stand On - Flat Free No Counterweights	\$11,712
105614	36" W/Single Valve - Walk Behind	\$9,605

#### Mechanical Power Buggy

105400

- Speed controlled by engine RPM.
- A dead-man break comes standard.
- 5.5 H P Honda engine.
- Dimensions: 68x64x43 324 lbs.

#### \$6,990



## Power Buggy Attachments



#### **Chariot Attachment for Hydraulic Buggy's**

An optional stand-on attachment is easily attached to the rear of the machine allowing the operator to ride while towing 4 wheel trailers.

This attachment is recommended as the maximum speed of this machine is too fast for the operator to keep up with for extended periods of time. Weight 92 Lbs

Dimensions: 12 x 19 x 9 platform

105700 Complete with Swivel	<sup>\$</sup> 986
105702 Flat Free Wheels	\$ <b>1,100</b>

205737 Chariot Only C/W Weight Basket & Flat Free Wheels (Call for price)



#### Large Bucket

#### 105807

The large bucket can be used with hydrauic and mechanical power buggy. This system option allows larger quantities of material to be transported in a single trip.

\$1,380

#### Dump Bucket System

A hydraulic dump bucket system that connects to the new hydraulic dual valve system.

\$2,567

#### **NEW!**

#### HydraLift Attachment

105813 System only, Forks not include

A new modular system with multiple future attachments that will couple to the machine easily using a pin system. 600 lbs capacity.

#### \$3,302

105819 Fork Attachment only

\$750





#### Bucket Attachment - Standard 105800

The standard bucket attachment for the Hydraulic and Mechanical Power Buggy.

\$1,100



103326 Tank With Draincock	\$2,100
105804 Rods and Channel	\$250

Weight: 75 lbs. Used to transport and dispense hot asphalt on rooftops.



Gravel Spreader Attachment

An attachable unit that evenly spreads gravel along the rooftop.

<sup>\$</sup>1,494



**Fork Attachment** 

105802 Weight: 40 lbs. Used to carry various roofing material.

<sup>\$</sup>552

## Non-Powered On-Deck Equipment

### The roofers' favorite tool brand.

With a reputation for durability, plenty of power options and an affordable price point - there's no better choice than All Season Equipment!



#### Wheelbarrow

103420 Standard Wheels 103425 Flat-Free Wheels 103430 Large Wheels \$690 \$690 \$790

Front Roll Plate protects the Roof. Optional large 18 x 8.50 Wheels for easier movement over large rock.



**Hoistable Hot Lugger** 

103330 Standard Wheels 103331 Flat-Free Wheels \$4,100 \$4,100

 4 - 4.80 x 4.00 Stable tires, easy to push, with a braking system that can hold on low pitch roofs.

• 2 1/2" Draincock included.



#### **55 Gallon Insulated Tank**

 103326 With Drain Cock
 \$2,100

 103325 Without Drain Cock
 \$1,900

 The ideal method of transporting hot asphalt across any roof deck.

 It quickly and easily attaches to your Hoistable Hot Lugger, Utility Carrier, Power Buggy or 4 Wheel Trailer with channels and rods.



#### **Mini Mopper**

103201 39,5"Metric Style	\$1,140
103202 Metric Style Flat Free	\$1,140
103200 48" Style	\$1,180
103203 48" Flat Free	\$1,180
Light-weight dispenser. Coverage	e can be varied
by removing any number of hole	bolts.



#### **3 Wheel Utility Carrier**

103025 Standard Tires 103026 Flat-Free Tires Has the ability to transport a 55 Gallon Insulated Tank.

\$1,490



36" Manual Gravel Spreader

103150 Standard Wheel 103152 Flat-Free Wheels

Adjustable gate to spread different thicknesses of pea gravel.

\$1,400







#### 20 Gallon Mop Carrier

103225 Standard Wheels\$880103226 Flat-Free Wheels\$880Ideal for hand mopping. Has built in windbreaker / splash guard.

#### **Insulation Fork On Wheels**

 103125 Standard Wheels
 \$950

 103127 Flat-Free Wheels
 \$1,100

Great for moving around palletized materials easily on roofs. 18 x 850 wheels distribute the weight over a wide area to prevent roof damage.

#### 4 Wheel Trailer

103001 Standard Wheels	\$1,600
103003 Flat-Free Wheels	\$2,290
Moves 2000 lbs. 18 x 850 tires for st	ability.
Standard drop handle brake	



Super Tearoff Bar

103300: Simply jam the blade under the old roof and push down. Equipped with 6" wheels and hardened blade.

\$600



**Propane Cylinder Carrier** 

103040 Standard Wheels 103041 Flat-Free Wheels Heavy-Duty construction holds 100 lbs cylinders. Chains hold cylinder firmly in place. 2 large 4.80 x 4.00 x 8 Wheels for easy movement

<sup>\$</sup>730



#### **Dump tray Attachment Only**

103005 : Moves more debris and materials in less time. Bolted directly to the standard 4 Wheel Trailer bed. No special tools required

<sup>\$</sup>2,650

## Tuff Jack Material Mover

- Single rear swivel allows the wheel a turning radius of 38".
- Handle acts as a tow hitch for transporting behind ASE's SS16 Cheetahs, Hydraulic Power Buggies or other rooftop vehicles.
- Integrated hydraulic tank provides stronger pump base and lessens the chance of tank damage.



#### Product Code 103401

Lifting Capacity	2500 Lbs (4ft Long Skids)
	800 Lbs (8ft Long Skids)
Wheel Dimensions	Front: 20" x 10"
	Rear: 18" x 8.50"
Fork Dimensions	4ft: 2 ½" x 2 ½" 8ft: 1 ¾" x 1 ¾"
Fork Opening	26″
Throat Opening	55"
Weight	650 lbs.
Dimensions	94" x 80" x 36"

١	Wheel Weight Dis	splacements	5
Wit	hout Load	Load of 2	500 lbs.
Front Wheels:	166 lbs (Each)	Rear Wheel:	318 lbs
Front Wheels:	1229 lbs (Each)	Rear Wheel:	692 lbs.

<sup>\$</sup>10,050



#### 150 Gallon Patch Kettle (Towable)

The perfect kettle for small repair jobs. Short heat up time and small physical size.

Product #:	101104
Weight:	1350 lbs
Capacity:	160 US Gallons
Dimensions:	120" x 64" x 48"
Optional:	Emmission Control System
Usable Capacity	100 US Gallons

\$12,750

## **Asphalt Kettles**

From their heavy duty schedule 40 blast tubes to their thick inner and outer skins, ASE kettles have a well earned reputation as high production asphalt kettles that last.

#### **Standard Features**

- 9 H.P. Honda Engine
- 2" Viking Pump 80 GPM (Submerged)
- Quick-acting Flow Control Valve System
- 30ft. Propane Hose
- Draincock: 2 1/2" Steel Pipe (Not cast)
- Heavy Duty Channel Frame
- Heavy Duty Fenders
- Electric Brakes on all Axles
- Pintle Hitch
- 12 Ply Truck Tires
- Hinged, Lockable Engine Cover
- Jack Leg
- 7 Pole Round Lights Connector

#### Options

- Emission Control System
- Clevis Pin Hitch
- Ball Hitch
- 6 Pole Round Lights Connector
- Tool Box on Canadian Kettles

## **Technical Specifications**

### Kettle Comparison Chart

	400 gal.	600 gal.	850 gal.	1250 gal.
Product Number	101106 (Canada)	101107 (Canada)	101108 (Canada)	101009
Capacity (US Gal)	400	620	850	1250
Useable (US Gal)	310	490	670	900
Engine	9 HP Honda	9 HP Honda	9 HP Honda	9 HP Honda
Pump	2" Viking	2" Viking	2" Viking	2" Viking
Burners	2	2	2	2
Lids	1	2	2	3
Axles	1	2	2	3
Axle Rating	6000	6000	6000	6000
Tire Size	62-8-14.5LT	62-8-14.5LT	62-8-14.5LT	62-8-14.5LT
Electric Brakes	Standard	Standard	Standard	Standard
Breakaway Brakes	Optional	Standard	Standard	Standard
Loading Height (in)	42	44	44	46
Length (in)	178	210	247	300
Width (in)	83.5	88	88	88
Height (in)	50	52	52	54
Weight (lbs)	2650	4900	5400	6500
Hitch (Canada)	Pintle	Pintle	Pintle	Pintle





400 Gallon Kettle

\$27,900

600 Gallon Kettle

\$35,980



850 Gallon Kettle

\$38,900



\$45,850

### **Patch Kettles & Options**





#### Remove Emissions in minutes

#### Kettle Standard Features

- LP Burner
- Shut Off Valve
- 2.5" Steel Draincock (Not Ca
- 30ft. Propane Hose
- LP Regulator
- Inermome

#### **Emission Control System**

Removeable Stainless Steel Burner Stack. Stainless Steel fire baffle screens. Skim door on 400 and larger kettles

101245	100 Gal emission burner system	\$2,900
101247	150 Gal emission burner system	\$5,860
101249	400 Gal emission burner system	\$6,795
101250	600-850-1250 Gal emission system	\$7,520
101262	Tool box for Kettle	\$515



#### 45 Gallon Patch Kettle (Standard)

Mostly used for small repairs such as patch work. Its small size allows easy access to tight spots.

Product #:	101000
Weight:	350 lbs
Capacity:	45 US Gallons
Dimensions:	49" x 22" x 37"
Optional:	N/A



Light enough to be hoisted to the roof, small enough to take in an elevator.

Product #:	101002
Weight:	596 lbs
Capacity:	100 US Gallons
Dimensions:	55" x 33" x 46"
Optional:	Emmission Control System

#### \$5,929



#### **Kettle Pipe Elbow**

 101730 - Pipe Elbow - 1 ½" x 90°
 \$88

 101731 - Threaded Elbow - 2" x 90°
 \$90

 101735 - Pipe Elbow - 2" x 90°
 \$85

 101736 - Threaded Elbow - 1 ½" x 90°
 \$85



#### Regulator

201123 - Regulator Complete Liquid 201125 - Vapor Regulator



#### Propane Hose

201130 - 3/8 HOSE x 15FT 201132 - 3/8 HOSE x 3FT 201133 - 3/8 HOSE x 30FT



Coupling

201700 - Coupling - 1 ½" Steel 201701 - Coupling - 2" Steel 201702 - Coupling Reducer - 2" to 1 ½" 201703 - Coupling Reducer - 1 ½" to 1 ¼"



Draincock 201721 - Draincock - 2 ½"



**Global Valve ¼"** 201121 - Ball Valve ¼" Brass







Kettle Skimmer101420 - Kettle Skimmer\$195



### We make roofing easy.





#### Thermometer

201193 - Kettle Thermometer 3" Dial x 4" Stem
201192 - Kettle Thermometer 3" Dial x 12" Stem
201196 - Kettle Thermometer 3" Dial x 15" Stem
201197 - Kettle Thermometer 3" Dial x 24" Stem

#### **Plumbing Elbow Joint**

201710 - Street Elbow 1 ½" x 90° 201711 - Street Elbow 2" x 90" 201712 - Street Elbow 2½" x 90° 201714 - Street Elbow 1 ½" x 90°





**Plumbing Union Hammer-On** 201704 - 1 ½" Hammer-On 201707 - 2" Hammer-On **Plumbing Union** 201705 - 1 ½" Union 201706 - 2" Union

## Built on the highest safety & quality standards

When it comes to roofing equipment, don't settle for anything less than the best. ASE has you covered.





#### **Flex Hose / Insulated Flex Hose**

101739 - Flex Hose 1 ½" x 3' (No Sleeve)	\$125
101740 - Flex Hose 1 ½" x 5' (No Sleeve)	\$180
101741 - Flex Hose 2" x 3' (No Sleeve)	\$132
101742 - Flex Hose 2" x 5' (No Sleeve)	\$182
101750 - Flex Hose 1 ½" x 3' (Insulated Sleeve)	\$167
101751 - Flex Hose 1 ½" x 5' (Insulated Sleeve)	\$275
101755 - Flex Hose 2" x 3' (Insulated Sleeve)	\$251
101756 - Flex Hose 2" x 5' (Insulated Sleeve)	\$271
101701 - Kettle Pipe 1 ½" x 5' (Thin Wall)	\$145
101702 - Kettle Pipe 1 ½" x 10' (Thin Wall)	\$190
101703 - Kettle Pipe 1 ½" x 15' (Thin Wall)	\$235
101704 - Kettle Pipe 1 ½" x 20' (Thin Wall)	\$275
101720 - Kettle Pipe 2 x 5' (Thin Wall)	\$140
101721 - Kettle Pipe 2 x 10' (Thin Wall)	\$165
101722 - Kettle Pipe 2 x 15' (Thin Wall)	\$196
101723 - Kettle Pipe 2 x 20' (Thin Wall)	\$213

#### **Kettle Burner**

**BURNER ONLY** 

201134 - Liquid Burner (Patch Pot 45 Gallon) 201138 - Liquid Burner (100 Gallon) 201139 - Liquid Burner (150 Gallon) 201140 - Liquid Burner (300 Gallon) 201141 - Liquid Burner (400 Gallon) 201142 - Liquid Burner (600/850 Gallon) 201143 - Liquid Burner (1250 Gallon) BURNER SET 201145 - Liquid Burner (Patch Pot 45 Gallon) 201146 - Liquid Burner (100 Gallon)

201147 - Liquid Burner (150 Gallon) 201148 - Liquid Burner (300 Gallon)

- 201149 Liquid Burner (400 Gallon)
- 201150 Liquid Burner (600/850 Gallon)
- 201152 Liquid Burner (1250 Gallon)
- 201155 Liquid Burner (240/400 Gallon HTK)

## Roofing Accessories

#### Call 1-888-308-4763 for prices

#### Wheels

910325	- 5 x 2 - Steel c/w 5/8 Bearing
910328	- 6 x 2 - Plastic c/w 5/8 Bearing
910329	- 6 x 2 - Rubber c/w 5/8 Bearing
910326	- 10" x 2.75" c/w 5/8" Bearing
910327	- 12" x 3.00" c/w 3/4" Bearing
910323	- TurfSaver 4.10 x 3.50 x 4
910346	- TurfSaver 4.10 x 3.50 x 4 (Foam)
910335	- TurfSaver 4.10 x 3.50 x 4 (Tire Only)
910309	- TurfSaver 13.0 x 6.50 x 6
910304	- TurfSaver 13.0 x 6.50 x 6 (Foam)
??????	- TurfSaver 13.0 x 6.50 x 6 (Tire Only)
910340	- TurfSaver 16.0 x 6.50 x 6
??????	- TurfSaver 16.0 x 6.50 x 6 (Foam)
??????	- TurfSaver 16.0 x 6.50 x 6 (Tire Only)
910305	- 480 x 400 x 8 (No Bearing)
910308	- 480 x 400 x 8 (Flat-Free)
910307	- 480 x 400 x 8 - Tire Only
910306	- 480 x 400 x 8 - Inner Tube
910314	- 18 x 8.50 x 8 c/w 1" Bearing
910334	- 18 x 8.50 x 8 c/w 1" (Flat-Free)
910310	- 18 x 8.50 x 8 c/w 5 Bolt Rim
910316	- 18 x 8.50 x 8 - Rim Only 5 Bolt
910312	- 18 x 8.50 x 8 - Rim Only 1" Bearing
910313	- 18 x 8.50 x 8 - Tire Only
910311	- 18 x 8.50 x 8 - Inner Tube
910317	- Superlug 18 x 9.50 - Left
910319	- Superlug 18 x 9.50 - Right
910343	- Superlug 18 x 9.50 - Left (Foam)
910344	- Superlug 18 x 9.50 - Right (Foam)
910332	- Superlug 18 x 9.50 - Rim Only
910318	- Superlug 18 x 9.50 - Tire Only
910333	- TurfGlide 20 x 10 x 10 NHS

#### Belts

911039	- 'V' Belt - #410 KEVLAR
911037	- 'V' Belt - #420 KEVLAR
911067	- 'V' Belt - #670 KEVLAR
911074	- 'V' Belt - #740 KEVLAR
911025	- 'V' Belt - B25
911032	- 'V' Belt - B32
911038	- 'V' Belt - B38
911035	- 'V' Belt - BX38 (Tri-Power Molded)
911041	- 'V' Belt - B41
911019	- 'V' Belt - BX41 (Tri-Power Molded)
911042	- 'V' Belt - B42
911045	- 'V' Belt - B45
911049	- 'V' Belt - B49
911051	- 'V' Belt - B51
911056	- 'V' Belt - B56
911057	- 'V' Belt - B57
911058	- 'V' Belt - B58
911060	- 'V' Belt - B60

#### Pulleys, Bushing and Idlers

911250	- Idler - Black Nylon
911252	- Idler - Nylon (Roof Cutter)
911110	- Bushing - H - 7/8"
911104	- Bushing - L - 3/4"
911107	- Bushing - L - 1"
911103	- Bushing - L - 1 1/2"
911101	- Bushing - SH - 3/4"
911102	- Bushing - SH - 1"
911108	- Bushing - SH - 1 1/4"
911105	- Bushing - SH - 1 3/8"
911139	- Pulleys - 1B 40 SH
911136	- Pulleys - 2B3.6 SH
911131	- Pulleys - 3B30 x 1"
911137	- Pulleys - 3B3.6 SH
911124	- Pulleys - MB 24 SH
911127	- Pulleys - MB 30 x 3/4"
911131	- Pulleys - MB 30 x 1"
911135	- Pulleys - MB 35 x 1"
911144	- Pulleys - MB 40 H
911138	- Pulleys - MB 40 x 3/4"
911140	- Pulleys - MB 40 x 7/8"
911141	- Pulleys - MB 40 x 1"
911142	- Pulleys - MBL42
911150	- Pulleys - MB 50 x 3/4"
911151	- Pulleys - MB 50 x 1"
911170	- Pulleys - MB 70 x 3/4"
911171	- Pulleys - MB 70 x 1"
911191	- Pulleys - MB 90 x 1"
911197	- Pulleys - MB 97 L



#### Sprockets, Chains & Couplings Bearings

P910012	- Chain - #40 Per Foot
910100	- Chain - #40 Full Chain Link
910101	- Chain - #40 Offset Link
910111	- Chain - #50 Per Foot
910110	- Chain - #50 Full Chain Link
910109	- Chain - #50 Offset Link
911300	- Sprocket - 40B12 x 1"
911302	- Sprocket - 40B13 x 1"
911303	- Sprocket - 40B14 x 1"
911304	- Sprocket - 40B17 x 3/4"
911305	- Sprocket - 40B17 x 1"
911306	- Sprocket - 40B22 x 1"
911308	- Sprocket - 40B26 x 1"
911310	- Sprocket - 40B40 x 1"
911322	- Sprocket - 40A45
911324	- Sprocket - 40A50
911329	- Sprocket - 50A13 Double - Splined
911326	- Sprocket - 50A40 (Differential)
911330	- Sprocket - 50B12 x 1"
911331	- Sprocket - 50B13 x 1 1/4"
911335	- Sprocket - 50B13 x 1 1/2"
911333	- Sprocket - 50B24 x 1"
911341	- Sprocket - 50C24 x 1 1/2"
911351	- Couplings - 4016 - Chain Only
911355	- Couplings - 4016 - Comp 1" x 5/8"
911350	- Couplings - 4016 - Comp 1" x 1 1/8"
911349	- Couplings - 4016 - Connector Link
911352	- Couplings - 4016 - Sprocket 1"
911353	- Couplings - 4016 - Sprocket 5/8"
911354	- Couplings - 4016 - Sprocket 1 1/8"
911342	- Couplings - Jaw - 5/8"
911344	- Couplings - Jaw - 1 3/8"
911346	- Couplings - Urethane Spider

911200	- Pillow Block - 2 Hole - 3/4"
911202	- Pillow Block - 2 Hole - 1"
911204	- Pillow Block - 2 Hole - 1 1/4"
911206	- Pillow Block - 2 Hole - 2 1/4"
911210	- Flange - 2 Bolt - 1"
911211	- Flange - 2 Bolt - 1 1/4"
911212	- Flange - 4 Bolt - 1 1/2"
911220	- Flangette - SB205 - 1"
911221	- Flangette - SB205 - 1" - Bearing
911225	- Pin Bearing - 2" Long x 1" Bore
910300	- Wheel Insert - Oilite - 1"
910301	- Wheel Insert - 3/4"
910302	- Wheel Insert - 5/8"

#### Safety Pins

910405	- Hitch Pin - 3/16"
910420	- Spring Lock Pin - 5/16" x 1 3/8"
910421	- Spring Lock Pin - 5/16" x 2 1/2"
910422	- Spring Lock Pin - 3/8" x 2 16/2"
202631	- Track Pin - Short
202632	- Track Pin - Long



V. Feb-2023

2170 Winston Park Drive Oakville, Ontario L6H5W1 
 Telephone:
 1-888-308-4763

 Fax:
 905-829-0992

 E-mail:
 info@asequi.com